

McIntyre Hall
Technical Information
Page 1 of

Proscenium opening

Width	49'-11"
Height	27'-0"

Stage depth

Downstage apron edge to plaster line	4'-0"
Plaster line to upstage wall	36'-0"

Stage width

Stage right lock rail to stage left wall	78'-0"
--	--------

Orchestra pit filler

Front edge at center line to apron edge	12'-6"
Front edge at ¼ mark to apron edge	10'-0"
Front edge curves on a 34'-0" radius	

Rigging

Number of single pipe battens	34
Number of double pipe battens (stage lighting electrics)	4
Number of truss battens (mid stage and upstage travelers)	2
Number of side curtain tabs (stage right and left)	2
Number of side light ladders (stage right and left)	2
Independent lattice arbor for Main Curtain	1
TOTAL	45
Batten length	60'-6"
Batten high trim height (out)	+ 62'-0"
Number of 12'-0" Hemp spot lines available	6

Stage floor

Masonite over (2) ¾ plywood (1 ½" total) on resilient stringers and pads

Dressing/make-up

Room A 2 mirrors, sink, toilet and shower
Room B 2 mirrors, sink, toilet and shower
Room C 8 mirrors and sink
Room D 8 mirrors and sink
Room E 10 mirrors, 3 sinks, toilet and shower
Room F 14 mirrors, 3 sinks, toilet and shower
(NOTE) Rooms E and F are separated by an accordion wall
permitting one large dressing/make-up room when needed.

McIntyre Hall
Technical Information
Page 2 of

Stage Lighting Inventory

ETC Source Four equipment

10°	ellipsoidal (750 w)	6
19°	ellipsoidal (750 w)	44
26°	ellipsoidal (750 w)	34
36°	ellipsoidal (575 w)	24
15°-30°	ellipsoidal (750 w)	20
PAR	VN,N,M,W (575 w)	30

Strand equipment

8" Fresnelite	(2000 w)	18
---------------	----------	----

Altman equipment

Skycyc 4 windows	(1500 w)	5
------------------	----------	---

Lycian equipment

1267 Super arc 400	(follow spot)	2
--------------------	---------------	---

Accessories

6 ¼" gel extender	50
10" 4-way barn door	18
7 ½" 4-way barn door	18
6 ¼" half hat	32
6 ¼" egg crate louver	10
E.T.C. drop in iris	6
2 tee side arm	10

Stage pin extension cables

5'-0"	10
10'-0"	10
20'-0"	10
50'-0"	8
100'-0"	4

19 pin multi cables

10'-0"	8
20'-0"	8
40'-0"	11
50'-0"	11
100'-0"	2
Breakouts	24

6 pick-up hard points rated at 2000 lb each along I beams upstage of FOH catwalk 1&2

McIntyre Hall
 Technical Information
 Page 3 of

Audio Inventory

Mixing console

Allen Heath ML3000-32	1
-----------------------	---

Microphones

Rode NT3	4
Audix OM2	8
AKG C5900 condenser	4
Audio-Technica AT4041 condenser	2
Shure KSM27 condenser	2
Crown PCC-160 boundary	4
Shure ULX Beta 87A/WL51 lavalier	6

Microphone stands

AKG KM 260/1 floor stand	6
AKG KM 211/1 boom	2
AKG KM 211/2 boom	2
AKG KM 210/6 tripod stand	6
AKG KM 259 low profile tripod	6
AKG KM 201 heavy duty	4
AKG LGN 19 16" gooseneck	4

Speakers (stage monitors)

Renkus-Heinz TRX121/12M	10
-------------------------	----

Playback transports

BurnIT CDR830 recorder	1
Denon DN D4000 dual CD/MP-3	1

